

**April 25 – April 29, 2022**  
**Weekly Air Monitor Report**  
**Potrero Phase 2 Infrastructure**

## MONTHLY AIR MONITORING RESULTS:

BRIDGE monitors 2 separate readings:

- Naturally Occurring Asbestos (NOA)
- Dust

**Note: Any detection above an “action level” is investigated for cause and mitigated.**

## 4/25/22 – 4/29/22: NATURALLY OCCURRING ASBESTOS (NOA) REPORT

Clear < 0.016 Str/cc
Exceedance ≥ 0.016 Str/cc

	Location 2 Downwind: Connecticut St Interior Perimeter	Location 3 Crosswind: 25th St Side Interior Perimeter	Location 1 Upwind: Wisconsin St Interior Perimeter
Date	str/cc	str/cc	str/cc
4/25/2022	<b>0.00090</b>	<b>&lt; 0.00090</b>	<b>&lt; 0.00050</b>
4/26/2022	<b>0.00090</b>	<b>&lt; 0.00090</b>	<b>&lt; 0.0010</b>
4/27/2022	<b>&lt; 0.0010</b>	<b>&lt; 0.0010</b>	<b>&lt; 0.0010</b>
4/28/2022	<b>&lt; 0.00090</b>	<b>&lt; 0.00090</b>	<b>0.0029</b>
4/29/2022	<b>0.012</b>	<b>&lt; 0.00090</b>	<b>&lt; 0.0010</b>

NOA reports  
posted @

<http://www.rebuildpotrero.com/airmonitoring>

Note: 1/20- Rainouts witnessed. Filter overloaded resulting in N/A reading.

## 4/25/22 – 4/29/22: PM10 / Dust Weekly REPORT

**Dust Monitoring Report**  
**Potrero Phase 2**  
 2/21/22 - 2/25/22

**監測結果**  
**波特雷羅第二階段**  
 2/21/22至 2/25/22

*Informe de monitoreo de*  
*polvo*  
*Potrero Fase 2*

Clear  $\leq 0.05 \text{ mg/m}^3$   
安全  
No supera los límites

Exceedance  $> 0.05 \text{ mg/m}^3$   
超出標準  
Supera los límites

Daily Average PM <sub>10</sub> (mg/m <sup>3</sup> )	Monitor 2 (Downwind)	Monitor 3 (Crosswind)	Monitor 1 (Upwind)
<b>4/25/2022</b>	<b>0.018</b>	<b>0.019</b>	<b>0.018</b>
<b>4/26/2022</b>	<b>0.019</b>	<b>0.021</b>	<b>0.021</b>
<b>4/27/2022</b>	<b>0.010</b>	<b>0.011</b>	<b>0.012</b>
<b>4/28/2022</b>	<b>0.011</b>	<b>0.013</b>	<b>0.014</b>
<b>4/29/2022</b>	<b>0.016</b>	<b>0.015</b>	<b>0.018</b>

Notes:

Daily Average $\leq 0.050 \text{ mg/m}^3$
Daily Average $>0.050 \text{ mg/m}^3$

Dust Monitoring reports posted 粉塵報告公佈於 @  
*Los informes del polvo se publican en* <http://www.rebuildpotrero.com/airmonitoring>