

**April 3 – April 7, 2023 Weekly
Air Monitor Report Potrero
Phase 2 Infrastructure**

WEEKLY AIR MONITORING RESULTS

BRIDGE Monitors for the Following:

Naturally Occurring Asbestos (NOA)
Particulates or PM10

Note: Any detection above the project action level is investigated and mitigation measures proposed.

4/3/23 – 4/7/23: NOA WEEKLY REPORT

Clear < 0.016 s/cc
Exceedance ≥ 0.016 s/cc

	Location 2 Downwind: Connecticut St Interior Perimeter	Location 3 Crosswind: 25th St Side Interior Perimeter	Location 1 Upwind: Wisconsin St Interior Perimeter
Date	s/cc	s/cc	s/cc
4/3/23	<0.0009	<0.0009	<0.0009
4/4/23	0.0018	0.0009	<0.0009
4/5/23	<0.0009	<0.0009	<0.0009
4/6/23	0.0009	<0.0009	<0.0009
4/7/23	<0.0009	0.0009	<0.0009

NOA reports
posted @

<http://www.rebuildpotrero.com/airmonitoring>

4/3/23 – 4/7/23: NOA RESPONSE ACTIONS AND WEEKLY DATA SUMMARY

Date(s): No Readings Above the Action Level During the Week of 4/3/23

Potential Source:

Response Action:

Weekly Data Summary: No detections of NOA above the action level at all stations on all days this week.

4/3/23 – 4/7/23: PM10 WEEKLY REPORT

Dust Monitoring Report
Potrero Phase 2
2/21/22 - 2/25/22

監測結果
波特雷羅第二階段
2/21/22至 2/25/22

*Informe de monitoreo de
polvo
Potrero Fase 2*

Clear $\leq 0.05 \text{ mg/m}^3$

安全

No supera los límites

Exceedance $> 0.05 \text{ mg/m}^3$

超出標準

Supera los límites

Date	Daily (24 Hr) Average in mg/m^3		
	Monitor 2 (Downwind)	Monitor 3 (Crosswind)	Monitor 1 (Upwind)
4/3/23	0.005	0.009	0.004
4/4/23	0.007	0.007	0.004
4/5/23	0.009	0.010	0.006
4/6/23	0.010	0.011	0.007
4/7/23	0.007	0.008	0.004

Note: Dust Monitoring reports posted 粉塵報告公佈於 @

Los informes del polvo se publican en <http://www.rebuildpotrero.com/airmonitoring>